

CURRICULUM VITAE

Martin K. Kägi, M.D.

Personal Data

Home Address: Wehrenbachhalde 30
CH-8053 Zürich, Switzerland
Tel. 044/422 88 88
Fax 044/318 88 99

Business Address: Schaffhauserstr. 355
CH-8050 Zürich, Switzerland
Tel. 044/318 88 99
Fax 044/318 88 98
praxis.kaegi@hin.ch

Educational Data

Primary Education Hinteregg (ZH), Switzerland
1973 – 1979 Realgymnasium Rämibühl
Zürich, Switzerland
1979 Matura Typus B
1979 – 1985 University of Zürich, Medical School
December 14, 1985 Medical Degree
March 6, 1987 Doctoral Degree:
Pulmonary problems of patients with
severe, isolated head injuries.
Professor W. Glinz; University of Zürich,
Medical School
March 24, 1988 Foreign Medical Graduate Examination in
the Medical Sciences (FMGEMS), USA
Certificate Number: 403-418-7

Appointments

1981 - 1982	University of Zürich, Department of Surgery, Intensive Care Unit and Université de Lausanne, Département de Traumatologie, predoctoral education
1982	University of Zürich, Institute of Anatomy and Histology Student Instructor
1984	University of California, San Francisco Ophthalmology; Professor Cramer One month predoctoral education
1985	University of California, San Francisco Gastroenterology; Professor Schlesinger One month predoctoral education
1985 - 1989	Lecturer in Pathology, Microbiology, Infectiology and Immunology at the Nurse School of the Red Cross, Zürich
1.1.1987 - 31.07.1988	University of Zürich, Institute of Immunology and Virology; Professor J. Lindenmann Postdoctoral Education in Virology and Immunology
1.8.1988 - 31.12.1989	University of Zürich, Department of Clinical Immunology; Professor P.J. Grob Postdoctoral Education in Clinical Immunology
1.1.1990 - 31.12.1990	Zürcher Hochgebirgsklinik Davos-Clavadel, Switzerland Resident in Internal Medicine and Pneumology
1.1.1991 - 31.12.1992	University of Zürich, Allergy Unit, Department of Dermatology; Professor B. Wüthrich Resident in Allergy and Dermatology
1.2.1993 - 31.3.1993	Swiss Institute of Allergy and Asthma Research, Davos, Switzerland Research Fellowship

1.4.1993 - 31.8.1996	University of Zürich, Department of Dermatology; Professor G. Burg Resident in Dermatology
1.9.1996 - 31.3.1997	University of Zürich, Department of Dermatology; Professor G. Burg Staff member (Oberarzt) in Dermatology
1.4.1997 - 31.3.1998	University of Bern, Department of Dermatology; Professor L. R. Braathen Staff member (Oberarzt) in Dermatology
1.4.1998 - 31.8.1998	University of Bern, Department of Allergy and Immunology, Professor M. Hess Staff member (Oberarzt) in Allergology
1.12. 1998	Private Office in Zürich as Facharzt Dermatology, Allergology and Clinical Immunology

PUBLICATIONS

Original Articles (with peer review):

1. Kägi M.K., Joller H., Wunderli W., Rüdlinger R.: Prevalence of Cytomegalovirus, Hepatitis B and HIV-1 antibodies among healthy blood donors, hospital patients, renal transplant recipients, iv. drug addicts and homosexuals. Schweiz. Med. Wschr. 1989;119:217-222.
2. Wunderli W., Kägi M.K., Grüter E., Aueracher J.D.: Detection of Cytomegalovirus in peripheral leucocytes by different methods. J. Clin. Microbiol. 1989;27:1916-1917.
3. Weber R., Opravil M., Bloch K., Speich R., Shang-Linnenberg H., Kuster H., Kägi M.K., Jacquier P., Eckert J., Russi E.W., Siegenthaler W., Lüthy R.: Pneumocystis-carinii-pneumonia in HIV-Infektion: better prognosis because of early diagnosis. Dtsch. med. Wschr. 1990;115:1619-1623.
4. Kägi M.K., Wüthrich B.: Falafel-burger anaphylaxis due to sesame seed allergy. Lancet 1991;338:582.
5. Walker C., Kägi M.K., Braun P., Blaser K.: Activated T cells and eosinophilia in bronchoalveolar lavages and blood correlate with the severity of asthma. J. Allergy Clin Immunol 1991;88:935-942.
6. Kägi M.K., Joller-Jemelka H.I., Wüthrich B.: Correlation of eosinophils, soluble IL-2 receptor (sIL-2R) and eosinophil cationic protein (ECP) with the clinical activity of atopic dermatitis. Dermatology, 1992;185:88-92.
7. Kägi M.K., Wüthrich B.: Zur Deklarationspflicht amylosehaltiger Backhilfsmittel. Schweiz. Aerztezeitung, 1992;73:1833.
8. Wüthrich B., Kägi M.K., Joller-Jemelka H.: Soluble CD14 but not IL-6 is a new marker for clinical activity in atopic dermatitis. Arch Dermatol Res, 1992;284:339-342.
9. Kägi M.K., E.W. Russi, Grob P.J., Fierz W.: High proportion of TCR $\gamma\delta$ T cells in bronchoalveolar lavage of HIV infected patients; Respiration, 1993;60:170-177.
10. Walker C., Kägi M.K., Ingold R., Braun P., Blaser K., Bruijnzeel-Koomen C., Wüthrich B.: Atopic dermatitis: correlation of blood T cell-activation and eosinophilia with serum factors and clinical severity. Clin Exp Allergy, 1993;23:145-153.
11. Dummer R., Kohl O., Gillessen J., Kägi M.K., Burg G.: Peripheral blood mononuclear cells in cutaneous T cell lymphoma patients: reduced proliferation and preferential secretion of a T helper 2 like cytokine pattern upon stimulation. Arch Dermatol, 1993;129:433-436.
12. Carballido J.M., Carballido-Perrig N., Kägi M.K., Meloen R.H., Wüthrich B., Heusser C.H., Blaser K.: Identifikation of human T cell epitopes in bee venom phospholipase A2. J Immunol, 1993;150:3582-3591.

13. Kägi M.K., Wüthrich B.: Falafel burger anaphylaxis due to sesame seed allergy. *Ann Allergy*, 1993;71:127-129.
14. Wüthrich B., Kägi M.K., Hafner J: Disulfite-induced acute intermittent urticarial vasculitis. *Dermatology*, 1993;187:290-292.
15. Dummer R., Kohl O., Gillessen J., Kägi M.K., Burger G.: Peripheral blood mononuclear cells in patients with nonleukaemic cutaneous T cell lymphoma. Reduced proliferation and preferential secretion of a T helper-2-like cytokine pattern on stimulation. *Arch Dermatol* 1993;129:443-436.
16. Schneider T., Lang A:B:, Carballido J.M., Santamaria Babi L.F., Dudler T., Kägi M.K., Blaser K., Suter M.: Human monoclonal or polyclonal antibodies recognize predominantly discontinuous epitopes on bee venom phospholipase A2. *J Allergy clin Immunol* 1994;94:61-70.
17. Kägi M.K., Wüthrich B., Montano E., Barandun J., Blaser K., Walker C.: Differential cytokine profiles in peripheral blood and skin biopsies from patients with different forms of atopic dermatitis, psoriasis and normal individuals. *Int. Arch Allergy Immunol* 1994;103:332-340.
18. Eckstein P., Huzar A., Kägi M.K., Wüthrich B.: Millet seed: A seldom ingestive and inhalative allergen? *Allergo Journal* 1994;3:189-191.
19. Kägi M.K., Wüthrich B., S.G.O. Johansson: Campari-Orange anaphylaxis due to carmine allergy. *Lancet* 1994;344:60-61.
20. Wüthrich B., Joller-Jemelka H., Kägi M.K.: Soluble ICAM-1 is another possible serum marker for activity in atopic dermatitis. *Allergy*, 1995;50:88-89.
21. Gloor M., Kägi M.K., Wüthrich B., Puppy seed anaphylaxis. *Schweiz. Med. Wochenschr.* 1995;125:1434-1437.
22. Kägi M.K., Wüthrich B., Trüeb R., Burg G.: Two cases of confluent and reticulated papillomatosis associated with atopy. Successful treatment with topical urea and tretinoin. *Brit J Dermatol* 1996;134:372-382.
23. Bächli E., Kägi M.K., Krause M.: Visceral and neurological complications in primary varicella infections of the adults. *Schweiz. Med. Wochenschr.* 1996;126:440-446.
24. Kägi M.K., Wüthrich B.: Levels of soluble ICAM-1 are slightly elevated in the serum of patients with atopic dermatitis. *Int. Arch Allergy Immunol*, 1996;110:298.
25. Wüthrich B., Kägi M.K., Stücker W.: Anaphylactic reactions to ingested carmin (E120). *Allergy*, 1997;52:1133-1137.
26. Kägi M.K.: Aktuelle Empfehlungen zur Therapie des atopischen Ekzems. *Allergologie*, 1998;21:223-337.
27. Kägi M.K.: Die orale Hyposensibilisierung und andere Formen der lokalen Immunotherapie. Position Paper der SGA1. *Schweiz. Aeztzeitung*, 1998;79:1475-1481.

28. Kägi M.K., Wortmann F., Wüthrich B.: Spezifische orale Immunotherapie. In: Manuale allergologicum. Eds. Fuchs E. and Schulz KH., Dustri Verlag Dr. Karl Feistle, Deisenhofen, 1998.
29. Kägi M.K.: Therapeutisches Management der Neurodermitis atopica. Therapeutische Umschau, 1998; 55:493-497.
30. Zurbriggen B., Wüthrich B., Cachelin A.B., Willi P.B., Burg G., Kägi M.K.: Comparison of two galenical formulations of Cyclosporin A in the treatment of severe atopic dermatitis: A double blind, single-centre crossover pilot study; Dermatology, 1999;198:56-60.
31. Kägi M.K., Joller-Jemelka H., Wüthrich B.: Soluble E-selectin correlates with disease activity in cyclosporin A-treated patients with atopic dermatitis. Allergy, 1999;54,57-63.
32. Kägi M.K.: Specific immunotherapy - yesterday – today – tomorrow – focus on local, non-injective forms of immunotherapy. Praxis, 1998;87:1330-1334.
33. Kägi M.K.: Aktuelle Empfehlungen für die Therapie des atopischen Ekzems. Allergologie, 1998;21:332-3337.
34. Kägi M.K.: Leukotriene Receptor Antagonists – A Novel Therapeutic Approach in Atopic Dermatitis. Dermatology 2001;203:280-283.
35. Kägi M.K., Heyer G.: Efficacy of basiliximab, a chimeric anti-interleukin-2 receptor monoclonal antibody, in a patient with severe chronic atopic dermatitis. Br J Dermatol 2001;145,349-373.
36. Kägi M.K., Wüthrich B.: Different methods of local allergen-specific immunotherapy. Allergy 2002;57:1-11.
37. Kägi M.K., Wüthrich B.: Die lokale allergen-spezifische Immuntherapie. In: Manuale allergologicum. Eds. Fuchs E. and Schulz KH., Dustri Verlag Dr. Karl Feistle, Deisenhofen, 2003.
38. Simon R., Fritz T., Fischer B., Kägi M.K.: Scalp ulcerations in giant cell arteritis and review of the literature. Dermatology, accepted.
39. Kägi M.K., Simon R.: Pyoderma gangränosum: Erfolgreiche Behandlung mit topischem Tacrolimus. Swiss Medical Forum, accepted.

Medical Degree Dissertation:

Kägi M.K.: Pulmonary problems of patients with severe, isolated head injuries. University of Zürich; Medical School; Diss. 1987 (Accepted 6.3.1987)

Other original articles

1. Kägi M.K., Joller-Jemelka H.I., Grob P.J.: Tumor markers in the monitoring of breast cancer. Therapiewoche Schweiz 1991;10:676-685.
2. Kägi M.K., Joller-Jemelka H.I., Wüthrich B.: Lösliche CD14 Rezeptoren: Ein neuer Aktivitätsparameter für die atopische Dermatitis? Hautnah Dermatologie 1993;6:579-580.
3. Kägi M.K., Wüthrich B.: Falafel Burger anaphylaxis due to sesame seed allergy. Clinical Digest Series 1994.
4. Kägi M.K., Wüthrich B.: Averse reactions to food additives. In Résumés du cours de Perfectionnement FMH. Jahreskongress der Schweizerischen Gesellschaft für Allergologie und Dermatologie. Lausanne April 1995.
5. Kägi M.K., Wüthrich B.: Atopic dermatitis: Cytokine profiles and serologic markers. In: summary for the III. Tudomanos Konferenciaja, Debrecen, Hungar 1995
6. Kägi M.K., Bertrand F.: Les rhino-conjonctivites. Schweizer Apothekerzeitung 1996 ;134:547-549.
7. Kägi M.K., Wüthrich B.: Cytokine profiles in lesional and non lesional skin in patients with AD. Lillehammer Symposium Supplement, Acta Dermato-Venerologica 1996.
8. Kägi M.K.: Therapeutische Strategien bei Neurodermitis atopica. Medicos 2001.
9. Kägi M.K.: Therapie bei Neurodermitis atopica. Hautsache Haut 2001.
10. Kägi M.K., Wiederkehr C., Büsler K., Rey P. A.: Allergien im Frühjahr. Flugwetter für Pollen. Optima 2002.
11. Kägi M.K.: Therapeutische Strategien bei Neurodermitis atopica. Ars Medici 2002.
12. Kägi M.K., Stauber G.: Modernes Aknemanagement. Medicos September 2004.

Abstracts (Presentation: o=oral; p=Poster):

1. Lammer F., Gallino A., Schlaepfer R., Kägi M.K., Furrer M., Schneider K., Turina M.: Successful treatment of a systemic CMV-infection in the early phase after heart transplantation. Presented to the Swiss Society for Internal Medicine, Basel, Mai 1988. Schweiz. med. Wschr. 1988;118:Suppl. 23 (p).
2. Kägi M.K., Grüter E., Wunderli W.; Diagnostics of Cytomegalovirus in immune compromised hosts. Presented to the Swiss Society for Microbiology, St. Gallen, June, 1988. Abstract D2 (p).
3. Kägi M.K., Joller H., Wunderli W., Rüdlinger R.: Prevalence of Cytomegalovirus, Hepatitis B, and HIV-1 antibodies among healthy blood donors, hospital patients, renal transplant recipients, iv.-drug addicts and homosexuals. Abstract in Infectious Disease Digest 1989;7:10-11.
4. Kägi M.K., Fierz W., Kronauer C., Speich R., Russi E. and Grob P.: Immunological subtyping of leucocytes obtained from bronchoalveolar lavage (BAL) and peripheral blood in HIV-infected patients with pneumonia. Presented at the 5th International Conference on AIDS, Montreal, June 1989. Abstract 2435 (p).
5. Kägi M.K., Fierz W., Kronauer C., Speich R., Russi E. and Grob P.: Immunological leucocyte subtyping in bronchoalveolar lavage (BAL) and peripheral blood of HIV-infected patients with acute pneumonias and of patients with interstitial lung disease (ILD). Presented at the 7th International Congress of Immunology, Berlin July/August 1989. Abstract W 104-4 (o).
6. Hess Th., Speich R., Kägi M.K., Lagler U., vogt P., Russi E.: Granulomatous Pneumocystis carinii pneumonia (PcP) in HIV-infected patients. Presented to the Swiss Society for Pneumology, Basel April, 1990. Schweiz. med. Wschr. 1990; 120: Suppl.31. Abstract 39 (p).
7. Kägi M.K., Hess Th., Bloch K., Speich R., Shang E., Wehrli R., Weber R., Kronauer Ch., Russi E., Rierz W., Grob P.J.: Flow cytometric analysis of leucocyte subpopulations from bronchoalveolar lavage and peripheral blood of HIV associated Pneumocystis carinii pneumonias. Presented to the Swiss Society for Pneumology, Basel April, 1990. Schweiz. med. Wrsch. 1990;120;Suppl.31. Abstract 37 (o).
8. Kägi M.K., Hess Th., Bloch K., Speich R., Shang E., Wehrli R., Weber R., Kronauer Ch., Lagler U., Brändli O., Russi E., Fierz W., Grob P.J.: Flow Cytometric Analysis of Leucocyte Subpopulations from Bronchoalveolar Lavage and Peripheral Blood of Patients with Interstitial Lung Disease. Presented to the Swiss Society for Pneumology, Basel April, 1990. Schweiz. med. Wschr. 1990;120:Suppl.31. Abstract 25 (p).
9. Weber R., Opravil M., Bloch K., Speich R., Kägi M.K., Kuster H., Jacquier P., Eckert J., Russi E., Siegenthaler W., Lüthy R., Early diagnosis diminishes severity and letality of pneumocystis carinii pneumonias in HIV-infected patients. Presented to the Swiss Society for Internal Medicine, Lausanne, Mai, 1990. Schweiz. med. Wschr. 1990;120:Suppl. 32/1. Abstract 47 (o).

10. Kägi M.K., Russi W., Weber R., Fierz W.: Increased expression of $\gamma\delta$ chain receptor bearing T-cells in bronchoalveolar lavage and peripheral blood of HIV-infected patients with pneumonias. Presented at the 10th Meeting of the European Federation of Immunological Societies, Edinburgh, September, 1990. Abstract 36 (o).
11. Walker C., Ingold R., Kägi M.K., Braun P., Blaser K., Bruijnzeel-Koomen C., Wüthrich B.: Korrelation of activated T-lymphocytes, eosinophils and cytokines from peripheral blood with the clinical activity of atopic dermatitis. Presented at the 3rd workshop of allergy of the German Society for Research in Allergy and Immunology, Mainz, March, 1991. Allergologie 1991;14:63. Abstract 3 (o).
12. Walker C., Kägi M.K., Braun P., Blaser K.: Activated T-lymphocytes in bronchoalveolar lavages of asthmatics correlate with eosinophilia and lung function. Presented to the Swiss Society for Pneumology, Davos, April 1991. Schweiz. med. Wschr. 1991;121:Suppl.37. Abstract 6 (o).
13. Walker C., Kägi M.K., Braun P., Blaser K.: Bronchoalveolar lavage activated T cells correlate with eosinophilia in asthma. Presented to the American Thoracic Society and the American Lung Association, Anaheim CA, May 1991. Am Rev Respir Dis 1991;143:A802 (o).
14. Walker C., Ingold R., Kägi M.K., Braun P., Blaser K., Bruijnzeel-Koomen C., Wüthrich B.: Peripheral blood activated T cells, eosinophils and cytokines correlate with the severity of atopic dermatitis. Presented to the European Academy of Allergology and Clinical Immunology, Zürich, May 1991. Schweiz. med. Wrsch. 1991;121:Suppl40/I. Abstract 01 052 (o).
15. Kägi M.K., Braun P., Blaser K., Walker C.: Bronchoalveolar lavage activated T cells correlate with eosinophilia in asthma. Presented to the European Academy of Allergology and Clinical Immunology, Zürich, May 1991. Schweiz. med. Wrsch. 1991;121:Suppl.40/II. Abstract P2 231 (p).
16. Kägi M.K., Walker C., Braun P., Blaser K.: Activated T cells correlate with eosinophilia in bronchoalveolar lavage in asthmatics. Presented to the European Respiratory Society, Vienna, June 1991. Eur Resp Rev 1991;31s (p).
17. Kägi M.K., Walker C., Bruijnzeel-Koomen C., Joller-Jemelka H.I. Wüthrich B.: Atopic Dermatitis: Serological and cellular parameters. Presented to the Swiss Society of Dermatology and Venerology, Geneva, September 1991. Dermatologica Helvetica 1991/5:21. Abstract P12 (p).
18. Kägi M.K., Wüthrich B.: Correlation of eosinophils, soluble IL-2 receptor (sIL-2R) and eosinophil cationic protein (ECP) with the clinical activity of atopic dermatitis. Presented at the 4th workshop of allergy of the German Society for Research in Allergy and Immunology, Mainz, March 1992. Allergologie 1992;15:49. Abstract 8 (o).
19. Kägi M.K., Wüthrich B.: Falafel-Burger Anaphylaxis. Presented at the 4th workshop of allergy of the German Society for Research in Allergy and Immunology, Mainz, March 1992. Allergologie 1992;15:56. Abstract 34 (o).
20. Kägi M.K., Joller-Jemelka H., Wüthrich B.: Atopic dermatitis: correlation of eosinophils, soluble IL-2 receptor (sIL-2R) and eosinophil cationic protein (ECP) with the clinical activity. Presented to the Swiss Society for Allergy and Immunology, Interlaken, April 1992. Abstract 12 (o).

21. Kägi M.K., Wüthrich B.: Sesame seed anaphylaxis. Presented to the Swiss Society for Allergy and Immunology, Interlaken, April 1992. Abstract 90 (p).
22. Carballido J.M., Carballido-Perrig N., Kägi M.K., Meloen R.H., Wüthrich B., Heusser C.H., Blaser K.: Bee venom phospholipase A2 specific T cell clones: cytokine patterns and peptide specificity. Presented to the Swiss Society for Allergy and Immunology, Interlaken, April 1992. Abstract 46 (p).
23. Kägi M.K., Joller-Jemelka H., Wüthrich B.: Correlation of eosinophils, soluble IL-2 receptor (sIL-2R) and eosinophil cationic protein (ECP) with the clinical activity of atopic dermatitis. Presented to the European Academy of Allergology and Clinical Immunology, Paris, May 1992. Allergy 1992;47;Suppl.:133. Abstract FC.5CI.518 (o).
24. Carballido J.M., Carballido-Perrig N., Kägi M.K., Meloen R.H., Heusser C.H., Blaser K.: Antigen dose regulates the in vitro response to bee venom phospholipase A2. Presented to the 19th Symposium of the Collegium allergologicum, Capri, May 1992. Abstract (o).
25. Kägi M.K., Walker C., Blaser K., Wüthrich B.: Cytokine profile in lesional skin and peripheral blood of patients with extrinsic and intrinsic type of atopic dermatitis. Presented to the 5th Immunodermatology Symposium, Szeged August 1992. Abstract (o).
26. Kägi M.K., Matthiesen F., Sparholt S., Blumrt S., Cuhat I., Marti S., Peters A.G., Wüthrich B.: Detection of B-lymphocytes secreting antibodies to phleum pratense pollen antigen. Presented to the Clinical Immunology Symposium, Budapest, August 1992. Abstract (p).
27. Kägi M.K., Matthiesen F., Sparholt S., Blumer S., Chat I., Marti S., Peters A.G., Wüthrich B.: Quantification of B-lymphocytes secreting antibodies to phleum pratense pollen antigen during specific immunotherapy. Presented to the 8th International Congress of Immunology, Budapest, August 1992. Abstract (p).
28. Carballido J.M., Carballido-Perrig N., Meloen R.H., Kägi M.K., Terres G., Heusser C.H., Blaser K.: Regulation of the in vitro response to bee venom phospholipase A2. Presented to the 8th International Congress of Immunologie, Budapest, August 1992. Abstract (o).
29. Kägi M.K., Wüthrich B.: Falafel-Burger anaphylaxis due to sesame seed allergy. Presented to the Swiss Society of Dermatology and Venerology, Bern September 1992. Dermatologica Helvetica 1992. Abstract (p).
30. Dummer R., Kohl O., Kägi M.K., Burg G.: Peripheral blood mononuclear cells (PMC) in cutaneous T-cell lymphoma patients (CTCL): Reduced proliferation and preferential secretion of a T helper-2 like cytokine pattern upon stimulation. Presented to the Swiss Society of Dermatology and Venerology, Bern, September 1992. Dermatology 1992;185:230. Abstract (p).
31. Kägi M.K., Vogel M., Miescher S., Wüthrich B., Stadler B.: High levels of epsilon C3H domain specific anti-IgE autoantibodies in atopic patients. Presented to the American Academy of Allergy and Immunology, Chicago, USA, March 1993. JACI 1993; 91 number 1 part 2:379. Abstract 951 (p).

32. Kägi M.K., Walker C., Blaser K., Wüthrich B.: High IL-4/IFN- γ ratio in lesional skin and peripheral blood of patients with extrinsic type of atopic dermatitis. Presented to the European Society for Dermatological Research, Amsterdam, The Netherlands, April 1993 Abstract P15 (p).
33. Kägi M.K., Vogel M., Miescher S., Wüthrich B., Stadler B.: Domain specific anti-IgE autoantibodies in atopics. Presented to the Swiss Society for Allergy and Immunology, Genf, April 1993. Abstract 95 (o).
34. Kägi M.K., Joller-Jemelka H., Wüthrich B.: Soluble CD14 : A new parameter for activity in atopic dermatitis? Presented to the German Society for Dermatology, Dusseldorf, Germany, Juli 1993. Abstract P 1.03.30 (p).
35. Kägi M.K., Jacobsen L., Wüthrich B.: Efficacy and safety of short term immunotherapy. Presented to the European Academy of Allergy and Clinical Immunology, Rotterdam, The Netherlands, September 1993. Abstract 1399 (p).
36. Kägi M.K., Montano E., Walker C., Blaser K., Wüthrich B.: Atopic dermatitis Cytokine profiles in lesional skin and peripheral blood revealed high levels of IL-4 in the extrinsic form only. Presented to the Swiss society for Dermatology and Venerology, Lausanne, September 1993, Dermatology 1993;187/3:34. Abstract P30 (p).
37. Kägi M.K., Wüthrich B., Montano E., Blaser K., Walker C.: Differential cytokine determination in lesional skin and peripheral blood of patients with atopic dermatitis revealed high levels of IL-4 in the extrinsic form only. Presented to the Working society for Dermatological Research, Zürich, November 1993. Abstract 147 (p).
38. Kägi M.K., Wüthrich B.: Campari anaphylaxis due to carmin allergy. Presented at the 6th workshop of allergy of the German Society for Research in Allergy and Immunology, Mainz, March 1994. Allergo Journal 1994;3:31. Abstract 47 (o).
39. Kägi M.K., Wüthrich B., Montano E., Walker C., Blaser K.: Cytokine profiles in different forms of atopic dermatitis: close correlation of IL-4 spontaneously released from peripheral blood lymphocytes with serum IgE levels. Presented to the Society for Investigative Dermatology, Baltimore, Maryland, USA, April 1994. Abstract 368 (p).
40. Kägi M.K., Montano E., Ellgehausen P., Barandun J., Simon U., Burg G., Blaser K., Wüthrich B., Walker C.: High IL-4/IFN- γ ratio in lesional skin and peripheral blood of patients with extrinsic type of atopic dermatitis. Allergo Journal 1993;2:106. (Abstract).
41. Kägi M.K., Vogel M., Miescher S., Wüthrich B., Stadler B.: Domain specific anti-IgE autoantibodies in atopics. Presented to the Swiss Society for Allergy and Immunology, Genf, April 1993. Abstract 95 (o).
42. Kägi M.K., Jacobsen L., Wüthrich B.: Efficacy and safety of short term immunotherapy. Presented to the European Academy of Allergy and Clinical Immunology, Rotterdam, The Netherlands, September 1993. Abstract 1399 (p).
43. Kägi M.K., Wüthrich B., Walker C., Blaser K.: Atopic dermatitis: close correlation of serum IgE levels with IL-4 spontaneously released from peripheral blood lymphocytes. Presented to the Swiss Society for Dermatology and Venerology, Zürich, September 1994, Dermatology 1994;189/3:34. Abstract P5 (p).

44. Kägi M.K., Burg G.: Pyoderma gangraenosum: An unusual case associated with symmetrical eruptive, nodular and necrotizing granulomatous giant, cell vasculitis. Presented to the American Society for Dermatohistopathology, New Orleans, USA, February 1995. Abstract 92 (p).
45. Kägi M.K., Veltman H.J., Becker H., Zurbriggen B., Burg G., Wüthrich B.: Neoral (ciclosporin A) in atopic dermatitis: first results with a new galenical formulation. Presented to the Swiss Society for Allergy and Immunology, Lausanne, April 1995. Abstract C2 (o).
46. Kägi M.K., Veltmann H.J., Becker H., Zurbriggen B., Burg G., Wüthrich B.: Sandimmun (ciclosporin A) in atopic dermatitis: first results with a new galenical formulation. Presented to the German Society for Dermatology, Berlin, Germany, April 1995. Abstract P 1.03.30 (o).
47. Wüthrich B., Schindler C., Leuenberger P., Ackermann-Liebrich U. and the SAPALDIA team. Presented by Kägi M.K.: Prevalences of skin prick test positivity, pollinosis and atopic asthma in eight areas of Switzerland. Presented to the Joint International Symposium "New trends in Allergy IV" Hamburg, April 1995. Abstract 2 (o/p).
48. Bächli E., Kägi M.K., Krause M.: Visceral complications in varicella infections of the adults. Presented to the Swiss Society for Internal Medicine, Montreux, May 1995. Abstract P285 (o).
49. Kägi M.K., Rust C., Veltmann H.J., Zurbriggen B., Burg G., Wüthrich B.: Sandimmun (ciclosporin A) in atopic dermatitis: first results with a new galenical formulation. Presented to the European Academy of Allergy and Clinical Immunology, Madrid, Spain, June 1995. Abstract 861 (p).
50. Nestle F.O., Nickoloff B.J., Kägi M.K., Bpchner S., Burg G.: Tumorassociated antigen presenting cells in the skin demonstrate a significantly reduced expression of important costimulatory molecules. Presented to the Society for Operative and Oncologic Dermatology, Zürich, June 1995. Abstract V29 (o).
51. Kägi M.K., Zurbriggen B., Burg G., Wüthrich B.: Sandimmun (ciclosporin A) in atopic dermatitis: preliminary results with a new galenical formulation. Presented to the Swiss Society for Dermatology and Venerology, Basel, September 1995. Abstract (o+p).
52. Kägi M.K., Kleinhans M., Zurbriggen B., Burg G., Wüthrich B.: Ciclosporin A in atopic dermatitis: preliminary results with a new galenical formulation. Presented to the European Academy for Dermatology and Venerology, Brussels, October 1995. Abstract (o).
53. Kägi M.K., Zurbriggen B., Burg G., Wüthrich B.: Ciclosporin A treatment of atopic dermatitis: monitoring the clinical activity with serological parameters. Presented to the Swiss Society for allergy and Immunology, St. Gallen, April 1996. Abstract C2 (p).
54. Kägi M.K.: The leucotriene receptor antagonist montelukast in the treatment atopic dermatitis of the face. Presented to the European Academi for Dermatology and Venerologie, Geneva, October 2000. Abstract p06-16 (p).

Reviews of literature:

1. Kägi M.K.: Usefulness of immunotherapy in patients with severe summer hay fever uncontrolled by antiallergic drugs. Schweiz. med. Wschr. 1991;121:1591.
2. Kägi M.K.: Preliminary report: complement activation in wasp-sting anaphylaxis. Schweiz. med. Wschr. 1991;121:1591.
3. Kägi M.K.: Eosinophil cationic protein – a new serological marker for atopic dermatitis? Dermatologica Helvetica 1991;7:15.
4. Kägi M.K., Relation between airway responsiveness and serum IgE in children with asthma and in apparently normal children. Schweiz. med. Wschr. 1992;122:1141.
5. Kägi M.K.: High dose UVA1-therapy in patients with atopic dermatitis. Dermatologica Helvetica 1992;5:16.
6. Kägi M.K.: Autoantibodies against the high-affinity IgE receptor as a cause of histamine release in chronic urticaria. Schweiz. Med. Wochenschr. 1994; 124: 1034.
7. Kägi M.K.: Autoantibodies against the high-affinity IgE receptor as a cause of histamine release in chronic urticaria. Dermatology, 1994;189/1:17-18.
8. Kägi M.K.: Injection immunotherapy. Schweiz. Med. Wochenschr. 1994;124:2242-2243.

Dissertations:

1. Schmid M.: Investigation of T-cell subpopulations in peripheral blood and bronchoalveolar lavage of HIV-infected patients with Pneumocystis carinii pneumonia and other pulmonary infections. Pneumology, Dep. of Internal Medicine, University Hospital Zürich, Zürich 1992, Switzerland.
2. Baumgartner M.: Investigation of the effect of ciclosporin A on T-cell subpopulations in peripheral blood in patients with atopic dermatitis. Dep. of Dermatology, University Hospital Zürich, Zürich 2001, Switzerland.

Awards:

EAACI Travel grant, Paris, May 1992

Widmer Award 1993

Spirig Award 1994

Memberships:

Schweizerische Gesellschaft für Dermatologie und Venerologie
Schweizerische Gesellschaft für Allergologie und Klinische Immunologie
Schweizerische Gesellschaft für Phlebologie
Schweizerische Arbeitsgemeinschaft für Laserchirurgie
Zürcher Dermatologen und Zürcher Allergologen
AGZ und Aerzteverein des Kanton Zürich
Schweizerische Gesellschaft für Pneumologie
Schweizerische Gesellschaft für Innere Medizin
Deutsche Dermatologische Gesellschaft
Verein operative Dermatologie Deutschland
Arbeitsgemeinschaft für Kosmetische Dermatologie Deutschland
European Academy of Allergy and Clinical Immunology
European Task Force on Atopic Dermatitis
American Academy of Dermatology

Advisory Boards and Consulting

Alcon (European Advisory Board)
Allergan (Advisory Board for Switzerland)
Biogen-Dompé (Advisory Board for Switzerland)
Fujisawa (Advisory Board for Switzerland)
Galderma (Advisory Board for Switzerland)
health media (Frauenhofer Institut Darmstadt, Germany)
ICN (European Advisory Board)
La Roche Posay / L'Oréal (Advisory Board for Switzerland)
MSD (Advisory Board for Switzerland)
Novartis (Advisory Board for Switzerland)
PermaMed (Advisory Board for Switzerland)
Serono (Advisory Board for Switzerland)
Stallergenes (International Advisory Board for Sublingual Immunotherapy)
Wyeth (Advisory Board for Switzerland)